





# Courroies dentées

COURROIES - BELTS - KEILRIEMEN - CINGHIE




C  
A  
T  
A  
L  
O  
G  
U  
E

# COURROIE DENTÉE EN CAOUTCHOUC



**PAS XL - 1/5" - 5,080mm**

REF.	Z	Lw mm	Largeur Standard		
			025 6,35mm	031 7,94mm	037 9,52mm
60 XL	30	152	Consulter		
70 XL	35	178	Consulter		
80 XL	40	203	Consulter		
90 XL	45	229	Consulter		
96 XL	48	244	Consulter		
100 XL	50	254	Consulter		
110 XL	55	279	Consulter		
120 XL	60	305	Consulter		
130 XL	65	330	Consulter		
140 XL	70	356	Consulter		
146 XL	73	371	Consulter		
150 XL	75	381	Consulter		
152 XL	76	386	Consulter		
160 XL	80	406	Consulter		
166 XL	83	422	Consulter		
170 XL	85	432	Consulter		
180 XL	90	457	Consulter		
190 XL	95	483	Consulter		
200 XL	100	508	Consulter		
210 XL	105	533	Consulter		
220 XL	110	559	Consulter		
230 XL	115	584	Consulter		
240 XL	120	610	Consulter		
250 XL	125	635	Consulter		
260 XL	130	660	Consulter		
270 XL	135	686	Consulter		
276 XL	138	701	Consulter		
280 XL	140	711	Consulter		
290 XL	145	737	Consulter		
300 XL	150	762	Consulter		
310 XL	155	787	Consulter		
316 XL	158	803	Consulter		
320 XL	160	813	Consulter		
330 XL	165	838	Consulter		
344 XL	172	874	Consulter		
360 XL	180	914	Consulter		
380 XL	190	965	Consulter		
412 XL	206	1046	Consulter		
430 XL	215	1092	Consulter		
450 XL	225	1143	Consulter		
460 XL	230	1168	Consulter		
490 XL	245	1245	Consulter		




**PAS L - 3/8" - 9,525mm**

REF.	Z	Lw mm	Largeur Standard		
			050 12,7mm	075 19,05mm	100 25,4mm
124 L	33	314	Consulter		
135 L	36	343	Consulter		
150 L	40	381	Consulter		
169 L	45	429	Consulter		
172 L	46	438	Consulter		
187 L	50	476	Consulter		
202 L	54	514	Consulter		
210 L	56	533	Consulter		
225 L	60	572	Consulter		
240 L	64	610	Consulter		
255 L	68	648	Consulter		
270 L	72	686	Consulter		
285 L	76	724	Consulter		
300 L	80	762	Consulter		
322 L	86	819	Consulter		
345 L	92	876	Consulter		
367 L	98	933	Consulter		
390 L	104	991	Consulter		
420 L	112	1067	Consulter		
450 L	120	1143	Consulter		
480 L	128	1219	Consulter		
510 L	136	1295	Consulter		
540 L	144	1372	Consulter		
548 L	146	1391	Consulter		
600 L	160	1524	Consulter		
630 L	168	1600	Consulter		
660 L	176	1676	Consulter		
1294 L	345	3287	Consulter		


# COURROIE DENTÉE EN CAOUTCHOUC

## PAS H - 1/2" - 12,7mm

REF.	Z	Lw mm	Largeur Standard				
			075 19,05mm	100 25,4mm	150 38,1mm	200 50,8mm	300 76,2mm
230 H	46	584	Consulter				
240 H	48	610	Consulter				
270 H	54	686	Consulter				
300 H	60	762	Consulter				
330 H	66	838	Consulter				
360 H	72	914	Consulter				
375 H	75	953	Consulter				
390 H	78	991	Consulter				
400 H	80	1016	Consulter				
420 H	84	1067	Consulter				
430 H	86	1092	Consulter				
450 H	90	1143	Consulter				
480 H	96	1219	Consulter				
490 H	98	1245	Consulter				
510 H	102	1295	Consulter				
530 H	106	1346	Consulter				
540 H	108	1372	Consulter				
560 H	112	1422	Consulter				
570 H	114	1448	Consulter				
600 H	120	1524	Consulter				
630 H	126	1600	Consulter				
650 H	130	1651	Consulter				
660 H	132	1676	Consulter				
700 H	140	1778	Consulter				
750 H	150	1905	Consulter				
800 H	160	2032	Consulter				
850 H	170	2159	Consulter				
900 H	180	2286	Consulter				
950 H	190	2413	Consulter				
1000 H	200	2540	Consulter				
1020 H	204	2591	Consulter				
1050 H	210	2667	Consulter				
1100 H	220	2794	Consulter				
1150 H	230	2921	Consulter				
1250 H	250	3175	Consulter				
1350 H	270	3429	Consulter				
1400 H	280	3556	Consulter				
1700 H	340	4318	Consulter				





## PAS XH - 7/8" - 22,225mm



REF.	Z	Lw mm	Largeur Standard		
			200 50,8mm	300 76,2mm	400 101,6mm
507 XH	58	1288	Consulter		
560 XH	64	1422	Consulter		
630 XH	72	1600	Consulter		
700 XH	80	1778	Consulter		
770 XH	88	1956	Consulter		
840 XH	96	2134	Consulter		
980 XH	112	2489	Consulter		
1120 XH	128	2845	Consulter		
1260 XH	144	3200	Consulter		
1400 XH	160	3556	Consulter		
1540 XH	176	3912	Consulter		
1750 XH	200	4445	Consulter		

# COURROIE DENTÉE EN CAOUTCHOUC



## PAS 3M - 3mm

REF.	Z	Largeur Standard		
		6mm PRIX	9mm PRIX	15mm PRIX
177 3M	59		Consulter	
201 3M	67		Consulter	
210 3M	70		Consulter	
225 3M	75		Consulter	
231 3M	77		Consulter	
237 3M	79		Consulter	
240 3M	80		Consulter	
255 3M	85		Consulter	
276 3M	92		Consulter	
285 3M	95		Consulter	
330 3M	110		Consulter	
339 3M	113		Consulter	
345 3M	115		Consulter	
384 3M	128		Consulter	
420 3M	140		Consulter	
447 3M	149		Consulter	
510 3M	170		Consulter	



## PAS 5M - 5mm

REF.	Z	Largeur Standard		
		9mm PRIX	15mm PRIX	25mm PRIX
225 5M	45		Consulter	
270 5M	54		Consulter	
300 5M	60		Consulter	
330 5M	66		Consulter	
340 5M	68		Consulter	
350 5M	70		Consulter	
370 5M	74		Consulter	
375 5M	75		Consulter	
390 5M	78		Consulter	
400 5M	80		Consulter	
420 5M	84		Consulter	
425 5M	85		Consulter	
450 5M	90		Consulter	
455 5M	91		Consulter	
475 5M	95		Consulter	
500 5M	100		Consulter	
525 5M	105		Consulter	
550 5M	110		Consulter	
565 5M	113		Consulter	
575 5M	115		Consulter	
580 5M	116		Consulter	
600 5M	120		Consulter	
635 5M	127		Consulter	
640 5M	128		Consulter	
670 5M	134		Consulter	
700 5M	140		Consulter	
750 5M	150		Consulter	
770 5M	154		Consulter	
790 5M	158		Consulter	
800 5M	160		Consulter	
835 5M	167		Consulter	
860 5M	172		Consulter	
890 5M	178		Consulter	
900 5M	180		Consulter	
935 5M	187		Consulter	
950 5M	190		Consulter	
1050 5M	210		Consulter	
1100 5M	220		Consulter	
1125 5M	225		Consulter	
1175 5M	235		Consulter	
1270 5M	254		Consulter	
1350 5M	270		Consulter	
1420 5M	284		Consulter	
1595 5M	319		Consulter	
1690 5M	338		Consulter	
1790 5M	358		Consulter	
1895 5M	379		Consulter	
1945 5M	389		Consulter	
2000 5M	400		Consulter	

# COURROIE DENTÉE EN CAOUTCHOUC

## PAS 8M - 8mm

REF.	Z	Largeur Standard			
		20mm PRIX	30mm PRECIO	50mm PRIX	85mm PRIX
320 8M	40				Consulter
376 8M	47				Consulter
408 8M	51				Consulter
424 8M	53				Consulter
480 8M	60				Consulter
520 8M	65				Consulter
560 8M	70				Consulter
600 8M	75				Consulter
608 8M	76				Consulter
632 8M	79				Consulter
640 8M	80				Consulter
656 8M	82				Consulter
680 8M	85				Consulter
712 8M	89				Consulter
720 8M	90				Consulter
760 8M	95				Consulter
784 8M	98				Consulter
800 8M	100				Consulter
824 8M	103				Consulter
840 8M	105				Consulter
880 8M	110				Consulter
920 8M	115				Consulter
960 8M	120				Consulter
1000 8M	125				Consulter
1040 8M	130				Consulter
1080 8M	135				Consulter
1120 8M	140				Consulter
1136 8M	142				Consulter
1160 8M	145				Consulter
1200 8M	150				Consulter
1248 8M	156				Consulter
1280 8M	160				Consulter
1312 8M	164				Consulter
1360 8M	170				Consulter
1392 8M	174				Consulter
1400 8M	175				Consulter
1440 8M	180				Consulter
1552 8M	194				Consulter
1600 8M	200				Consulter
1696 8M	212				Consulter
1728 8M	216				Consulter
1760 8M	220				Consulter
1800 8M	225				Consulter
2000 8M	250				Consulter
2080 8M	260				Consulter
2272 8M	284				Consulter
2400 8M	300				Consulter
2600 8M	325				Consulter
2800 8M	350				Consulter
3200 8M	400				Consulter
3280 8M	410				Consulter
3600 8M	450				Consulter
4400 8M	550				Consulter




## PASO 14M - 14mm

REF.	Z	Largeur Standard				
		40mm PRIX	55mm PRIX	85mm PRIX	115mm PRIX	170mm PRIX
966 14M	69					Consulter
1190 14M	85					Consulter
1246 14M	89					Consulter
1400 14M	100					Consulter
1610 14M	115					Consulter
1778 14M	127					Consulter
1890 14M	135					Consulter
2100 14M	150					Consulter
2310 14M	165					Consulter
2450 14M	175					Consulter
2590 14M	185					Consulter
2800 14M	200					Consulter
3150 14M	225					Consulter
3360 14M	240					Consulter
3500 14M	250					Consulter
3850 14M	275					Consulter
4326 14M	309					Consulter
4578 14M	327					Consulter

# COURROIE DOUBLE DENTÉE EN CAOUTCHOUC


## D8M



### PAS D8M - 8mm DOUBLE

REF.	Z	Largeur Standard			
		20mm PRIX	30mm PRIX	50mm PRIX	85mm PRIX
560 D8M	70			Consulter	
600 D8M	75			Consulter	
640 D8M	80			Consulter	
720 D8M	90			Consulter	
800 D8M	100			Consulter	
880 D8M	110			Consulter	
920 D8M	115			Consulter	
960 D8M	120			Consulter	
1000 D8M	125			Consulter	
1040 D8M	130			Consulter	
1080 D8M	135			Consulter	
1120 D8M	140			Consulter	
1200 D8M	150			Consulter	
1224 D8M	153			Consulter	
1280 D8M	160			Consulter	
1360 D8M	170			Consulter	
1424 D8M	178			Consulter	
1440 D8M	180			Consulter	
1600 D8M	200			Consulter	
1680 D8M	210			Consulter	
1760 D8M	220			Consulter	
1800 D8M	225			Consulter	
2000 D8M	250			Consulter	
2200 D8M	275			Consulter	
2240 D8M	280			Consulter	
2400 D8M	300			Consulter	
2600 D8M	325			Consulter	
2800 D8M	350			Consulter	
3048 D8M	381			Consulter	
3280 D8M	410			Consulter	
3600 D8M	450			Consulter	
4400 D8M	550			Consulter	


## DH



### PAS DH - 1/2" - 12,7mm DOUBLE

REF.	Z	Lw mm	Largeur Standard			
			075 19,05mm	100 25,4mm	150 38,1mm	200 50,8mm
240 DH	48	610			Consulter	
270 DH	54	686			Consulter	
300 DH	60	762			Consulter	
330 DH	66	838			Consulter	
360 DH	72	914			Consulter	
390 DH	78	991			Consulter	
420 DH	84	1067			Consulter	
430 DH	86	1092			Consulter	
450 DH	90	1143			Consulter	
480 DH	96	1219			Consulter	
490 DH	98	1245			Consulter	
510 DH	102	1295			Consulter	
540 DH	108	1372			Consulter	
570 DH	114	1448			Consulter	
600 DH	120	1524			Consulter	
630 DH	126	1600			Consulter	
660 DH	132	1676			Consulter	
700 DH	140	1778			Consulter	
750 DH	150	1905			Consulter	
800 DH	160	2032			Consulter	
850 DH	170	2159			Consulter	
900 DH	180	2286			Consulter	
950 DH	190	2413			Consulter	
1000 DH	200	2540			Consulter	
1050 DH	210	2667			Consulter	
1100 DH	220	2794			Consulter	
1140 DH	228	2896			Consulter	
1150 DH	230	2921			Consulter	
1250 DH	250	3175			Consulter	
1400 DH	280	3556			Consulter	
1700 DH	340	4318			Consulter	

## DL




### PAS DL - 3/8" - 9,525mm DOUBLE

REF.	Z	Lw mm	Largeur Standard		
			050 12,7mm	075 19,05mm	100 25,4mm
150 DL	40	381			Consulter
218 DL	58	554			Consulter
255 DL	68	648			Consulter
285 DL	76	724			Consulter
300 DL	80	762			Consulter
345 DL	92	876			Consulter
540 DL	144	1372			Consulter
600 DL	160	1524			Consulter
660 DL	176	1676			Consulter
728 DL	194	1849			Consulter

# REXON GROUP

Since 1995



## AUSTRALIA

76 Jijaws Street, Sumner Park, Brisbane, QLD. 4074

## BRASIL

Rua Dr. Paulo Leite de Oliveira, 265 - Butantã - CEP: 05551-020  
São Paulo / SP - BRASIL

## USA

6955 McCormick Street  
Lincoln, NE 68507, USA

## MEJICO

Gral. L. Cardenas no. 37 of.  
Col. P. San Juan de Aragon  
Mexico D.F. C.P. 07950

## COLOMBIA

Carrera 19 No. 23-39  
Armenia, (Quindío)

## SUDAFRICA

Bearing Man Park, Droste Crescent,  
Droste Park Ext 7, Johannesburg, South Africa.



973 71 18 84 · Fax 973 71 18 09 · [lindis@lindis.es](mailto:lindis@lindis.es) · [www.lindis.es](http://www.lindis.es)  
Pol. Golparc, Av. d'Europa, 18-20, 25241 Golmés, LLEIDA - SPAIN